

Government of India
Directorate General of Health Services
Central Drugs Standard Control Organisation
Ministry of Health and Family welfare
(Medical Device and Diagnostic Division)

FREE SALE CERTIFICATE

FSC Number : **FSC/MD/2024/000565**

Dated : 23/09/2024

This is to certify that M/s. **RELIFE ORTHO** situated at address **20-21 PANCHRATNA IND. PARK, OPP. AVDHESH IND. HUB, BHAVDA GAM ROAD, AHMEDABAD INDORE HIGHWAY.TA.- DASKROI , Ahmedabad Gujarat ,382433,9725548201, India** is holding Manufacturing License no. **MFG/MD/2023/000394** issued on **18-APR-2023** Under this license, the said firm is permitted to manufacture the products for their manufacture and sale in domestic market as per Indian Law and for export as per law of importing country (ies):-

Name of the products with their product name and dimensions if any mentioned below :

S.NO	Medical Device Details
1	<p>1. Generic Name :RAIL FIXATION SYSTEM</p> <p>2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category :OthersExternal Fixators</p> <p>4. Class of Medical Device :Class B</p> <p>5. Shelf life :NIL</p> <p>6. Sterile/Non-Sterile:Non-Sterilized</p> <p>7. Intended Use :The Rail Fixation System consists of series of external fixators intended to be used to stabilize bone segment in a broad range of indications, including fractures, joint fusion, bone transport, lengthening & angular corrections. The system contains rail, Sandwich Plate, Dyna Ring, Bolt for Sandwich Plate, compression-distraction Unit.</p> <p>8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360</p> <p>9. Dimension: NIL</p> <p>10. Model/Catalogue No./Name :RAIL FIXATION SYSTEM - .</p>

2	<p>1. Generic Name :INSTRUMENTS SET FOR BONE SCREWS & PLATES</p> <p>2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category :OthersOrthopaedic Instruments</p> <p>4. Class of Medical Device :Class A</p> <p>5. Shelf life :NIL</p> <p>6. Sterile/Non-Sterile:Non-Sterilized</p> <p>7. Intended Use :Instruments set for bone screws & plates the tool or device for performing specific actions or carrying out desired effects during a surgery or operation, such as modifying biological tissue, or to provide access for viewing it. The Instruments does not implant in human body.</p> <p>8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410 SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360.</p> <p>9. Dimension: NIL</p> <p>10. Model/Catalogue No./Name :PELVIC INSTRUMENT SET WITH BOX-IM - . ,VARIABLE ANGLE INSTRUMENT SET BOX-IM - . ,BROKEN SCREW REMOVAL INSTRUMENT SET WITH BOX-IM - . ,2.7MM LCP INSTRUMENT SET WITH BOX-EX - . ,3.5MM LCP INSTRUMENT SET WITH BOX-EX - . ,5.0MM LCP INSTRUMENT SET WITH BOX-EX - . ,4.0MM C.C. INSTRUMENT SET WITH BOX - . ,6.5MM C.C. INSTRUMENT SET WITH BOX - . ,HERBERT SCREW INSTRUMENT SET WITH BOX - . ,DHS/DCS INSTRUMENT SET WITH BOX - . ,K-WIRE INSTRUMENT SET WITH BOX - . ,FOOT AND ANKLE INSTRUMENT SET WITH BOX - . ,MICRO LOCKING PLATE 2.0 INSTRUMENT SET WITH BOX - . ,HIGH TIBIAL OSTEOTOMY (HTO) INSTRUMENT SET-IM - . ,2.0MM MULTI ANGLE CONE GUIDER - . ,2.1MM MULTI ANGLE ANGLE CONE GUIDER - . ,2.7MM DEPTH GAUGE FOR VARIABLE ANGLE - . ,T2.3 TOREX HEAD SCREWDRIVER - . ,2.0MM MULTI ANGLE STRAIGHT GUIDER - . ,2.1MM MULTI ANGLE STRAIGHT GUIDER - . ,SCREWDRIVER HANDLE FOR VARIABLE ANGLE - . ,2.0MM DRILL SLEEVE - . ,2.0MM DRILL SLEEVE FOR VARIABLE ANGLE - . ,2.1MM DRILL SLEEVE - . ,2.1MM DRILL SLEEVE FOR VARIABLE ANGLE - . ,2.4MM PLATE HOLDER - . ,2.7MM PLATE HOLDER - . ,2.1/2.7MM DRILL GUIDER - . ,2.0/2.4MM DRILL GUIDER - . ,2.1/2.7MM DRILL GUIDER - . ,2.0/2.4MM DRILL GUIDER - . ,0.8N.M. TORQUE WRENCH - . ,SCREW HOLDER FOR VARIABLE ANGLE - . ,2.4MM DRILL COUNTER SINK - . ,2.7MM DRILL COUNTER SINK - . ,T2.3 TORX HEAD SCREWDRIVER - . ,QUICK COUPLING - . ,HC2.4MM BONE TAP - . ,QUICK COUPLING - . ,HA2.4MM BONE TAP - . ,QUICK COUPLING - . ,HC2.7MM BONE TAP - . ,QUICK COUPLING - . ,HA2.7MM BONE TAP - . ,QUICK COUPLING - . ,GUIDE PIN FOR VARIABLE ANGLE - . ,GUIDE PIN - . ,PLATE BENDER FOR MINI FRAGMENT (PAIR) - . ,2.7MM DEPTH GAUGE - . ,DRILL & TAP SLEEVE 2.4MM/1.8MM - . ,DRILL & TAP SLEEVE 2.7MM/2.0MM - . ,2.4MM BONE TAP WITH Q.C. - . ,2.7MM BONE TAP WITH Q.C. - . ,2.7MM LOCKING SLEEVE - . ,T-HANDLE QUICK COUPLING - . ,2.0MM TIP SCREWDRIVER WITH SILICON HANDLE - . ,PLATE ENDER FOR SMALL FRAGMENT (PAIR) - . ,3.5MM DEPTH GAUGE - . ,DRILL & TAP SLEEVE 2.5MM / 3.5MM - . ,NETURAL LOADED DRILL GUIDE 2.5MM / 3.5MM - . ,COUNTER SINK FOR SMALL FRAGMENT - . ,BONE TAP T-HANDLE 4.0MM - . ,BONE TAP T-HANDLE 3.5MM - . , PERIOSTOME ELEVATOR S.S. HANDLE FOR SMALL FRAGMENT - . ,INSERT DRILL SLEEVE 2.5MM / 3.5MM - . ,REDUCTION FORCEPS SERRATED SPEED LOCK 150MM - . ,REDUCTION FORCEPS POINTED SPEED LOCK 150MM - . ,SELF CENTERING BONE HOLDING FORCEPS SPEED LOCK 150MM - . ,HOHMAN RETRACTOR 10MM - . ,HOHMAN RETRACTOR 15MM - . , 3.5MM LOCKING SLEEVE - . ,2.5MM TIP SCREWDRIVER WITH SILICON HANDLE - . ,SHARP HOOK - . ,PLATE BENDER FOR LARGE FRAGMENT (PAIR) - . ,4.5MM DEPTH GAUGE - . ,DRILL & TAP SLEEVE 3.2MM / 6.5MM - . ,DRILL & TAP SLEEVE 3.2MM / 4.5MM - . ,NETURAL LOADED DRILL GUIDE 3.2MM / 4.5MM - . ,COUNTER SINK FOR LARGE FRAGMENT - . , POINTED DRILL GUIDE - . ,WITH 2 SLEEVES - . ,BONE TAP T-HANDLE 6.5MM - . ,BONE TAP T-HANDLE 4.5MM - . ,PERIOSTOME ELEVATOR S.S. HANDLE FOR LARGE FRAGMENT - . ,INSERT DRILL SLEEVE 4.5MM - . ,REDUCTION FORCEPS SERRATED SPEED LOCK 210MM - . , REDUCTION FORCEPS POINTED SPEED LOCK 210MM - . ,SELF CENTERING BONE HOLDING FORCEPS SPEED LOCK 240MM - . ,HOHMAN RETRACTOR 35MM - . ,5.0MM LOCKING SLEEVE - . ,3.5MM TIP SCREWDRIVER WITH SILICON HANDLE - . ,1.2MM THREADED GUIDE WIRE - . , 2.5MM DRILL & TAP SLEEVE - . ,CANNULATED COUNTER SINK - T-HANDLE 6MM HEAD - . , DIRECT MEASURING DEVICE FOR 4.0MM C.C. SCREW - . ,4.0MM CANNULATED TAP - . ,T-HANDLE - . ,4.0MM ANGLE GUIDE - . ,HOLDING CLIP - . ,2.5MM TIP SCREWDRIVER CANNULATED WITH SILICON HANDLE - . ,SCREW HOLDING FORCEPS - . ,2.0MM THREADED GUIDE WIRE - . ,4.5MM DRILL & TAP SLEEVE - . ,CANNULATED COUNTER SINK - T-HANDLE 8MM HEAD - . ,DIRECT MEASURING DEVICE FOR 6.5MM C.C. SCREW - . ,6.5MM CANNULATED TAP - . ,T-HANDLE - . ,6.5MM ANGLE GUIDE - . ,3.5MM TIP SCREWDRIVER CANNULATED WITH SILICON HANDLE - . ,T-HANDLE WITH QUICK COUPLING FOR DHS - . , DIRECT MEASURING DEVICE - . ,DHS TRIPLE REAMER - . ,WRENCH FOR DHS/DCS SCREWS - . ,DHS/DCS IMPACTOR - . ,DHS/DCS TAP - . ,CENTRING SLEEVE FOR DHS TAP-SHORT - . , CENTRING SLEEVE FOR DHS WRENCH-LONG - . ,COUPLING SCREW FOR INSERTING DHS SCREW (FOR 2.5MM GUIDE WIRE) - . ,GUIDE SHAFT FOR COUPLING SCREW - . ,LONG COUPLING SCREW FOR DHS SCREW REMOVAL - . ,DCS TRIPLE REAMER - . ,DCS ANGLE GUIDE - . ,VARIABLE ANGLE GUIDE – EXCEL - . ,2.5MM GUIDE WIRE - . ,DHS ANGLE GUIDE - .</p>
---	---

	<p>,2.0MM LOCKING SLEEVE - . ,DRILL & TAP SLEEVE 1.1/1.5MM - . ,2.0MM BENDING PIN - . , SLEEVE FOR SCREW HOLDING - . ,2.0MM STAR HEAD SCREWDRIVER - . ,STRAIGHT BALL SPIKE 300MM - . ,UNIVERSAL HEX SCREWDRIVER SW2.5MM - . ,STRAIGHT BALL SPIKE 300MM-LONG - . ,UNIVERSAL HEX SCREWDRIVER SW2.5MM - . ,RETRACTOR - . ,2.5MM DRILL GUIDE - . ,2.5/3.5MM DRILL/TAP GUIDER - . ,3.0/4.0MM DRILL/TAP GUIDER - . , SCREW HOLDER FORCEPS - . ,DEPTH GAUGE 0-60MM - . ,BENDING IRON LEFT/RIGHT - . , BONE HOLDING FORCEPS 200MM - . ,REDUCTION FORCEPS STRAIGHT - . ,REDUCTION FORCEPS CURVED 250MM - . ,BONE HOLDING FORCEPS 250MM - . ,PELVIC MOULD PLATE - . ,RECONSTRUCTION MOULD PLATE - . ,REDUCTION FORCEPS CURVED 280MM - . ,PELVIC RECONSTRUCTION FORCEPS LARGE 330MM - . ,PELVIC REDUCTION FORCEPS WITH 2-BALL TIPPED 400MM - . ,PELVIC REDUCTION FORCEPS WITH 2 HIGH LOW BALL TIPPED 400MM - . ,PELVIC REDUCTION FORCEPS WITH 3 BALLS TIPPED 400MM - . ,PLATE BENDER - . ,BONE HOOK - . ,T-HANDLE BONE HOOK - . ,1.5MM TIP SCREWDRIVER(WOODEN) - . ,1.5MM TIP SCREWDRIVER - . ,CANNULATED(WOODEN) - . ,2.0MM CANNULATED TAP - . ,T-HANDLE - . , 0.6MM GUIDE WIRE - . ,2.0MM TIP SCREWDRIVER - . ,CANNULATED(WOODEN) - . ,2.5MM CANNULATED TAP - . ,T-HANDLE - . ,0.8MM GUIDE WIRE - . ,3.5MM CANNULATED TAP - . ,T-HANDLE - . ,1.0MM GUIDE WIRE - . ,WIRE PASSER-SMALL - . ,WIRE PASSER-LARGE - . ,K-WIRE INTRODUCER - . ,WIRE TWISTER CIRCULAR - . ,HOLDING FORCEPS FOR CERCLAGE WIRE - . BONE AWL WITH EYE - . ,K-WIRE BENDER - . ,WIRE TIGHTENER - . ,PEGS FOR WIRE TIGHTENER - . ,T-HANDLE WITH CHUCK & KEY - . ,PLIER CUM WIRE BENDER CUM WIRE CUTTER - . ,DIA4.0MM HOLLOW REAMER - . ,DIA5.0MM HOLLOW REAMER - . ,DIA6.5MM HOLLOW REAMER - . ,DIA8.0MM HOLLOW REAMER - . ,DIA10.0MM HOLLOW REAMER - . , DIA3.0MM HOLLOW REAMER - . ,DIA2.7MM HOLLOW REAMER - . ,DIA6.5MM EXTRACTION BOLT - . ,DIA6.0MM EXTRACTION BOLT - . ,DIA4.5MM EXTRACTION BOLT - . ,DIA3.5MM EXTRACTION BOLT - . ,EXTRACTION SCREW HEXAGONAL 4.0MM CONICAL - . ,EXTRACTION SCREW HEXAGONAL 3.5MM CONICAL - . ,EXTRACTION SCREW HEXAGONAL 2.5MM CONICAL - . ,EXTRACTION SCREW HEXAGONAL 2.5MM X 0.5MM CONICAL - . ,SLOTTED SCREW DRIVER SMALL - . ,SLOTTED SCREW DRIVER LARGE - . ,PHILIPS SCREW DRIVER - . , SQUARE SCREW DRIVER SW1.5 - . ,SQUARE SCREW DRIVER SW1.2 - . ,SQUARE SCREW DRIVER SW1.1 - . ,STAR SCREW DRIVER T5.5 - . ,STAR SCREW DRIVER T5.0 - . ,STAR SCREW DRIVER T4.4 - . ,STAR SCREW DRIVER T3.8 - . ,STAR SCREW DRIVER T3.3 - . ,STAR SCREW DRIVER T2.7 - . ,STAR SCREW DRIVER T2.2 - . ,HEXAGONAL SCREW DRIVER SW5.5 - . , HEXAGONAL SCREW DRIVER SW5.0 - . ,HEXAGONAL SCREW DRIVER SW4.5 - . ,HEXAGONAL SCREW DRIVER SW4.0 - . ,HEXAGONAL SCREW DRIVER SW3.5 - . ,HEXAGONAL SCREW DRIVER SW3.0 - . ,HEXAGONAL SCREW DRIVER SW2.5 - . ,HEXAGONAL SCREW DRIVER SW2 - . ,HEXAGONAL SCREW DRIVER SW1.5 - . ,PLIERS FOR SCREW REMOVAL - . ,ROUND GOUGE 8.0MM - . ,STRAIGHT HANDLE QUICK COUPLING - . ,DIA4.5MM SCREW EXTRACTOR - . ,DIA3.5MM SCREW EXTRACTOR - .</p>
3	<p>1. Generic Name :EXTERNAL RING FIXATION SYSTEM 2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD 3. Notified Category :OthersExternal Fixators 4. Class of Medical Device :Class B 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use ::The Ring Fixation System consists of series of external fixators intended to be used to stabilize bone segment in a broad range of indications, including fractures, joint fusion, bone transport, lengthening & angular corrections. The system includes Half Rings 5/8 Ring, Rings with Curved Extremities, Italian Femoral Arches, Arches with Holes, Threaded Rods, Telescopic Rods, Post Male/ Female, Hinges-Male/ Female/Standard, Long/Short Connection Plates, Connected Plates with Threaded Ends, Twisted/Curved Plates, Bushing Threaded Sockets, Connection Bolts, Nut, Washers, Bolt, Multiple, Wire Fixation Buckle, Blocks for Half Pins, Universal Joint, Rotational and Translational Device, Oblique Support, Set Screw, Foot Rings, Knurling post male. 8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360 9. Dimension: NIL 10. Model/Catalogue No./Name :EXTERNAL RING FIXATION SYSTEM - .</p>

4	<p>1. Generic Name :SPINAL INSTRUMENTS</p> <p>2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category :Orthopaedic Implants</p> <p>4. Class of Medical Device :Class A</p> <p>5. Shelf life :NIL</p> <p>6. Sterile/Non-Sterile:Non-Sterilized</p> <p>7. Intended Use :The Spinal Instrument are the set of the instruments, a tool or device for performing specific actions or carrying out desired effects during a surgery or operation, such as modifying biological tissue, or to provide access for viewing it. The Instruments does not implanted in human body.</p> <p>8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360</p> <p>9. Dimension: NIL</p> <p>10. Model/Catalogue No./Name :PEDICLE INSTRUMENT SET WITH BOX-IM - . ,POSTERIOR CERVICAL SCREW INSTRUMENT SET WITH BOX-IM - . ,CERVICAL PLATE INSTRUMENT SET WITH BOX -IM - . ,MIS INSTRUMENT SET WITH BOX-IM - . ,CERVICAL CAGE WITH SCREW INSTRUMENT SET WITH BOX - . ,EXPANDABLE CAGE WITH PLATE INSTRUMENT SET WITH BOX - . ,TLIF/PLIF CAGE INSTRUMENT SET WITH BOX - . ,ECO CAGE INSTRUMENT SET WITH BOX - . ,ANTERIOR CERVICAL FUSION CAGE INSTRUMENT SET WITH BOX - . ,CERVICAL DIO CAGE WITH INSTRUMENT SET BOX - . ,C1/C2 SCREW FIXATION INSTRUMENT SET WITH BOX - . ,ANTERIOR CERVICAL CAGE INSTRUMENT SET WITH BOX - . ,BONE GRAFT INSERTER FOR ANTERIOR CERVICAL FUSION CAGE - . ,CAGE HOLDER 14.0MM FOR ANTERIOR CERVICAL FUSION CAGE - . ,CAGE HOLDER 16.0MM FOR ANTERIOR CERVICAL FUSION CAGE - . ,BONE GRAFT CAGE FOR ANTERIOR CERVICAL FUSION CAGE - . ,RASP FOR ANTERIOR CERVICAL FUSION CAGE - . ,5.0MM TRAIL FOR ANTERIOR CERVICAL FUSION CAGE - . ,6.0MM TRAIL FOR ANTERIOR CERVICAL FUSION CAGE - . ,7.0MM TRAIL FOR ANTERIOR CERVICAL FUSION CAGE - . ,8.0MM TRAIL FOR ANTERIOR CERVICAL FUSION CAGE - . ,9.0MM TRAIL FOR ANTERIOR CERVICAL FUSION CAGE - . ,10.0MM TRAIL FOR ANTERIOR CERVICAL FUSION CAGE - . ,ANTERIOR CERVICAL FUSION CAGE IMPLANTS TRAY - . ,ANTERIOR CERVICAL FUSION CAGE BOX - . ,CERVICAL PLATE IMPLANTS TRAY - . ,SCREWDRIVER SLEEVE - . ,CURETTE FOR CERVICAL PLATE - . ,2.5MM TIP SCREWDRIVER - . ,TAP WITH STOPPER - . ,AWL FOR CERVICAL PLATE - . ,NUT SCREWDRIVER - . ,BRACE SCREWDRIVER - . ,2.5MM TIP SCREWDRIVER LONG - . ,HAND DRILL - . ,PLATE HOLDER FORCEPS - . ,CERVICAL HOOK - . ,CERVICAL HOOK LONG - . ,GUIDER FOR CERVICAL PLATE - . ,DISTRATOR FOR CERVICAL PLATE - . ,LOCATION SCREW SCREWDRIVER - . ,BRACE SCREW - . ,PLATE BENDER - . ,LOCATION SCREW - . ,1.2MM THREADED GUIDE WIRE - . ,2.5MM DRILL & TAP SLEEVE - . ,DIRECT MEASURING DEVICE - . ,PUNCHING FOR CERVICAL CAGE WITH SCREW - . ,TOP SCREW HOLDER - . ,SCREWDRIVER SLEEVE - . ,DRILL SLEEVE WITH HANDLE FOR CERVICAL CAGE WITH SCREW - . ,DRIVER FOR CERVICAL CAGE WITH SCREW - . ,2.5MM TIP SCREWDRIVER FOR INNER - . ,SCREW TIGHTENER - . ,TOP SCREWDRIVER - . ,5.0MM RASP FOR CERVICAL CAGE WITH SCREW - . ,6.0MM RASP FOR CERVICAL CAGE WITH SCREW - . ,7.0MM RASP FOR CERVICAL CAGE WITH SCREW - . ,8.0MM RASP FOR CERVICAL CAGE WITH SCREW - . ,9.0MM RASP FOR CERVICAL CAGE WITH SCREW - . ,10.0MM RASP FOR CERVICAL CAGE WITH SCREW - . ,5.0MM TRAIL FOR CERVICAL CAGE WITH SCREW - . ,6.0MM TRAIL FOR CERVICAL CAGE WITH SCREW - . ,7.0MM TRAIL FOR CERVICAL CAGE WITH SCREW - . ,8.0MM TRAIL FOR CERVICAL CAGE WITH SCREW - . ,9.0MM TRAIL FOR CERVICAL CAGE WITH SCREW - . ,10.0MM TRAIL FOR CERVICAL CAGE WITH SCREW - . ,AWL FOR CERVICAL CAGE WITH SCREW - . ,INTRODUCER FOR CERVICAL CAGE WITH SCREW 14.0MM - . ,INTRODUCER FOR CERVICAL CAGE WITH SCREW 16.0MM - . ,BONE GRAFT INSERTER FOR DIO CAGE - . ,CAGE HOLDER 14.0MM FOR DIO CAGE - . ,CAGE HOLDER 16.0MM FOR DIO CAGE - . ,BONE GRAFT CAGE FOR DIO CAGE - . ,RASP FOR DIO CAGE - . ,5.0MM TRAIL FOR DIO CAGE - . ,6.0MM TRAIL FOR DIO CAGE - . ,7.0MM TRAIL FOR DIO CAGE - . ,7.0MM TRAIL FOR DIO CAGE - . ,9.0MM TRAIL FOR DIO CAGE - . ,10.0MM TRAIL FOR DIO CAGE - . ,DIO CAGE IMPLANTS TRAY - . ,CUTTER FOR ECO CAGE - . ,BONE PUSHER CURVED FOR ECO CA - . ,BONE PUSHER STRAIGHT FOR ECO CAGE - . ,ECO CAGE HOLDER FORCEPS - . ,3.5 PUNCHING FOR EXPANDABLE CAGE WITH PLATE - . ,DRILL SLEEVE WITH HANDLE FOR EXPANDABLE CAGE WITH PLATE - . ,HOLDING FORCEPS FOR EXPANDABLE CAGE WITH PLATE - . ,AWL FOR EXPANDABLE CAGE WITH PLATE - . ,2.5MM TIP SCREWDRIVER FOR INNER - . ,BONE GRAFT PUSHER FOR EXPANDABLE CAGE WITH PLATE - . ,SCREWDRIVER FOR LOCK SCREW - . ,SCREW TIGHTNER - . ,2.5MM TIP SCREWDRIVER FOR EXPANDABLE CAGE WITH PLATE - . ,EXPANDABLE CAGE WITH PLATE INSTRUMENT BOX - . ,WIRE TAPPING THICK - . ,WIRE TAPPING THIN - . ,5.5MM BONE TAP - . ,6.0MM BONE TAP - . ,6.5MM BONE TAP - . ,7.0MM BONE TAP - . ,7.5MM BONE TAP - . ,QUICK COUPLING T HANDLE - . ,BREAK OFF T-HANDLE - . ,BONE SCREWDRIVER - . ,STAR DRIVE SCREWDRIVER - . ,HEXAGONAL SCREWDRIVER - . ,ROD TROCAR TIP - . ,SET SCREW RETAINING COMPRESSORS - . ,ROD INSERTER - . ,REDUCTION STATIONARY ROD TEMPLATE - . ,REDUCTION ROD POINTER - . ,SINGLE LEVEL REDUCTION EXTENDER A - . ,SINGLE LEVEL REDUCTION EXTENDER B - . ,REDUCTION INNER SLEEVE - . ,MULTI LEVEL REDUCTION EXTENDER A - . ,MULTI LEVEL</p>
---	--

	<p> REDUCTION EXTENDER B - . ,RADIOLUCENT CLAMP - . ,ALIGNMENT GUIDE - . ,DOUBLE HEAD PROBE (STRAIGHT & BENT) FOR PEDICLE - . ,SINGLE HEAD PROBE(STRAIGHT) FOR PEDICLE . ,TAP DIA 4.5MM FOR PEDICLE - . ,TAP DIA 5.5MM FOR PEDICLE - . ,TAP DIA 6.5MM FOR PEDICLE - . ,TAP DIA 7.5MM FOR PEDICLE - . ,MOULD ROD 200MM FOR PEDICLE - . ,3.5MM TIP SCREW SHAFTING WITH Q.C. - . ,SCREW CUTTER FOR LONG ARM SCREW FOR PEDICLE ,STAR HEAD SCREW SHAFTING WITH Q.C. FOR PEDICLE - . ,STAR HEAD INNER TIGHTNER FOR PEDICLE - . ,IN-SITU BENDING IRON LEFT FOR PEDICLE - . ,IN-SITU BENDING IRON RIGHT FOR PEDICLE - . ,PEDICLE PROBE STRAIGHT - . ,PEDICLE PROBE BENT - . ,3.5MM TIP INNER TIGHTNER - . ,FIXATION PIN BALL TYPE FOR PEDICLE - . ,FIXATION PIN PILLER TYPE FOR PEDICLE - . ,CROSSLINK MEASUREMENT FOR PEDICLE - . ,SCREW MEASUREMENT FOR PEDICLE - . ,ROD HOLDING FORCEPS FOR PEDICLE - . ,ROD PUSHING FORCEPS FOR PEDICLE - . ,5.5MM SYSTEM SPINAL PERSUADER SLEEVE FOR PEDICLE - . ,COMPRESSOR FOR PEDICLE - . ,SPAEDER FOR PEDICLE - . ,ROD TWIST FOR PEDICLE - . ,COUNTER TORQUE FO SCREW CUTTER - . ,12 N.M TORQUE WRENCH - . ,T-HANDLE QUICK COUPLING FOR PEDICLE - . ,STRAIGHT RECHART SCREWDRIVER - . ,AWL FOR PEDICLE - . ,ROD BENDER FOR PEDICL . ,ROD PUSHERIAL FOR PEDICLE - . ,INSERT DEVICE FOR FIXATION PIN FOR PEDICLE - . ,RO HOLDER FOR PEDICLE - . ,INTRODUCER FOR MONO AXIAL SCREW - . ,INTRODUCER FOR POLY AXIAL SCREW - . ,PEDICLE SCREW INSTRUMENT BOX - . ,DEPTH GAUGE 0-40MM FOR POSTERIOR CERVICAL - . ,TRAIL ROD FOR POSTERIOR CERVICAL - . ,2.5MM TIP SCREW SHAFTING WITH Q.C. - . ,4.0MM BONE TAP FOR POSTERIOR CERVICAL SCREW - . ,3.5MM BONE TAP FOR POSTERIOR CERVICAL SCREW - . ,2.5MM TIP INNER TIGHTENER - . ,FEELER FOR SCREW CHANNEL BENT FOR POSTERIOR CERVICAL - . ,FEELER FOR SCREW CHANNEL STRAIGHT FOR POSTERIOR CERVICAL - . ,DISTRACTER FOR POSTERIOR CERVICAL - . ,IN-SI BENDING IRON LEFT FOR POSTERIOR CERVICAL - . ,IN-SITU BENDING IRON RIGHT FOR POSTERIOR CERVICAL - . ,T-HANDLE QUICK COUPLING FOR POSTERIOR CERVICAL - . ,HOOK HOLDING FORCEPS FOR POSTERIOR CERVICAL - . ,ROD HOLDING FORCEPS FOR POSTERIO CERVICAL - . ,GUIDER FOR POSTERIOR CERVICAL - . ,2.5MM TIP INNER HOLDER - . ,ROD PUSHING FORCEPS FOR POSTERIOR CERVICAL - . ,STRAIGHT HAND QUICK COUPLING - . , INSERT DEVICE FOR FIXATION PIN FOR POSTERIOR CERVICAL - . ,COUNTER TORQUE FOR POSTERIOR CERVICAL - . ,INTRODUCER FOR POSTERIOR CERVICAL SCREW - . ,ROD BEND FOR POSTERIOR CERVICAL - . ,AWL FOR POSTERIOR CERVICAL - . ,LONG AWL FOR POSTERIOR CERVICAL - . ,PROTECTION SLEEVE FOR POSTERIOR CERVICAL - . ,DISTRACTIO FORCEPS FOR POSTERIOR CERVICAL - . ,ROD CUTTER FOR POSTERIOR CERVICAL - . , PARALLEL COMPRESSION FORCEPS FOR POSTERIOR CERVICAL - . ,ROD TWIST FOR POSTERIOR CERVICAL - . ,IMPLANT SUPPORT FOR PLIF CAGE - . ,IMPLANT SUPPORT FOR TLIF CAGE - . ,7.0MM TRAIL FOR PLIF CAG - . ,8.0MM TRAIL FOR PLIF CAGE - . ,9.0MM TRAIL FOR PLIF CAGE - . ,10.0MM TRAIL FOR PLIF CAGE - . ,11.0MM TRAIL FOR PLIF CAGE - . ,12.0 MM TRAIL FOR PLIF CAGE - . ,13.0MM TRAIL FOR PLIF CAGE - . ,7.0MM TRAIL FOR TLIF CAGE - . ,8.0MM TRAIL FOR TLIF CAGE - . ,9.0MM TRAIL FOR TLIF CAGE - . ,10.0MM TRAIL FOR TLIF CAGE - . ,11.0MM TRAIL FOR TLIF CAGE - . ,12.0MM TRAIL FOR TLIF CAGE - . ,13.0MM TRAIL FOR TLIF CAGE - . ,QUICK COUPLING FOR SILICON HANDLE - . ,EXTRACTOR ROD WITH SLIDING HAMMER - . ,OSTEOTOME FOR TLIF/PLIF CAGE - . ,INTRODUCER FOR TLIF CAGE - . INTRODUCER FOR PLIF CAGE - . ,CUP CURETTE RIGHT FOR TLIF/PLIF CAGE - . ,CUP CURET LEFT FOR TLIF/PLIF CAGE - . ,RASP FOR TLIF/PLIF CAGE - . ,7.0MM REAMER FOR TLIF/PLIF CAGE - . ,8.0MM REAMER FOR TLIF/PLIF CAGE - . ,9.0MM REAMER FOR TLIF/PLIF CAGE - . , 10.0MM REAMER FOR TLIF/PLIF CAGE - . ,11.0MM REAMER FOR TLIF/PLIF CAGE - . ,12.0MM REAMER FOR TLIF/PLIF CAGE - . ,13.0MM REAMER FOR TLIF/PLIF CAGE - . ,CAGE PUSHER STRAIGHT FOR TLIF CAGE - . ,CAGE PUSHER CURVED FOR TLIF CAGE - . ,CAGE PUSHER STRAIGHT FOR PLIF CAGE - . ,CAGE PUSHER - . ,7.0MM ROUND SCRAPER FOR TLIF/PLIF CAGE - . ,8.0MM ROUND SCRAPER FOR TLIF/PLIF CAGE - . ,9.0MM ROUND SCRAPER FOR TLIF/PLIF CAGE - . ,6.5X7.5MM ROTATE CUTTER REAMER FOR TLIF/PLIF CAGE - . ,7.5X8.5MM ROTATE CUTTER REAMER FOR TLIF/PLIF CAGE - . ,8.5X9.5MM ROTATE CUTTER REAMER FO TLIF/PLIF CAGE - . ,9.5X10MM ROTATE CUTTER REAMER FOR TLIF/PLIF CAGE - . ,9.5X10MM ROTATE CUTTER REAMER FOR TLIF/PLIF CAGE - . ,CUP CURETTE STRAIGHT FOR TLIF/PLIF CAGE - . ,10X10.5MM ROTATE CUTTER REAMER FOR TLIF/PLIF CAGE - . </p>
--	--

5	<p>1. Generic Name :KNEE SYSTEM INSTRUMENTS</p> <p>2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category :OthersOrthopaedic Instruments</p> <p>4. Class of Medical Device :Class B</p> <p>5. Shelf life :NIL</p> <p>6. Sterile/Non-Sterile:Non-Sterilized</p> <p>7. Intended Use :KNEE SYSTEM INSTRUMENTS are used in Knee Replacement Surgeries to insert, remove & proper Handling of Knee implants into human body during the surgery. This instruments set contains various sub parts like Tibia Cutting block L/R, Tibia External Positioning Rod A/B, Cutting Measurement Device , Tibia Reamer, Curved femoral chisel, Rasp, Extraction clamp, slap hammer, chisel handle, extraction clamp jaw, extraction clamp screw, saw blade, Patella Compression Clamp etc.</p> <p>8. Material of Construction: SS304, SS316L, SS 17-4 PH, SS410, SS420/SS420B,SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360</p> <p>9. Dimension: Various kind & sizes are manufactured</p> <p>10. Model/Catalogue No./Name :BLOUNT KNEE RETRACTOR - I281 - . ,MARTINS CARTILAGE CLAMP - I282 - . ,SMILLIES KNEE JOINT RETRACTOR (SET OF SIX) - I284 - . , SMILLIES MANISCUS KNIFE (SET OF THREE) - I285 - . ,CHARNLEYS COMPRESSION CLAMP- SIZE 150 TO 200 MM - I286-150 & I286-200 - . ,MULLER COMPRESSION CLAMP - I287 - . , TIBIA CUTTING BLOCK L/R - . ,TIBIA EXTERNAL POSITIONING ROD A/B - . ,CUTTING MEASUREMENT DEVICE - . ,TIBIA REAMER - . ,CURVED FEMORAL CHISEL - . ,RASP - . , EXTRACTION CLAMP - . ,SLAP HAMMER - . ,CHISEL HANDLE - . ,EXTRACTION CLAMP JAW - . , EXTRACTION CLAMP SCREW - . ,SAW BLADE - . ,PATELLA COMPRESSION CLAMP ETC - .</p>	AYAD
6	<p>1. Generic Name :INSTRUMENTS SYSTEM FOR BIPOLAR HIP SYSTEM</p> <p>2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category :OthersOrthopedic Instruments</p> <p>4. Class of Medical Device :Class A</p> <p>5. Shelf life :NIL</p> <p>6. Sterile/Non-Sterile:Non-Sterilized</p> <p>7. Intended Use :Hip system instrument are used in Hip Replacement Surgeries to insert, remove & proper Handling of Hip implants into human body during the surgery. This instruments set contains various sub parts like Rasp handle, Impactor, Stem impactor, Box chiesel, Lateral rasp, Quick coupling, Pointer impactor punch threaded, Extractor with hook, Tomy bar, prosthesis stem holder etc.</p> <p>8. Material of Construction: STAINLESS STEEL 316L, 2205, 300 & 400 600 SERIES (ASTM F899) OR NITINOL (ASTMF2063) OR ALUMINIUM ALLOY OR TEFLON (PTFE) OR TITANIUM ALLOY / TICP OR ACETAL POM-C</p> <p>9. Dimension: Various Kind and sizes are Manufactured</p> <p>10. Model/Catalogue No./Name :BIPOLAR INSTRUMENT SET WITH BOX - . ,A.M.P. INSTRUMENT SET BOX - . ,BOX TYPE CHISEL - . ,MOORE HEAD REMOVAL(JUDET) - . ,HEAD DIA GAUGE (37MM TO 53MM) (ODD SIZE) - . ,HEAD DIA GAUGE (38MM TO 52MM) (EVEN SIZE) - . ,TAPER REAMER - . ,HEAD IMPACTOR - . ,HOOK - . ,RASP FOR BIPOLAR - . ,MURPHY LANE BONE SKID - . ,SUPINE DRIVER FOR PROSTHESIS - . ,HAMMER FOR PROSTHESIS - . , EXTRACTOR ROD FOR PROSTHESIS - . ,PIN FOR BIPOLAR - .</p>	AYAD

7	<p>1. Generic Name : SURGICAL DRILL & ITS ATTACHMENTS</p> <p>2. Brand Name : RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category : Others Orthopaedic Instruments</p> <p>4. Class of Medical Device : Class B</p> <p>5. Shelf life : NIL</p> <p>6. Sterile/Non-Sterile: Non-Sterilized</p> <p>7. Intended Use : The surgical drilling machine that, when rotated at an appropriate speed, will cut into bone creating a hole of the same dimension as the diameter of the bit. The attachment includes drill bit, drill guides, burr & handpiece.</p> <p>8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360</p> <p>9. Dimension: NIL</p> <p>10. Model/Catalogue No./Name : DRILL BIT WITH QUICK COUPLING CANNULATED - . , DRILL BIT 1.0MM X 65MM - . , DRILL BIT 1.0MM X 65MM COATING - . , DRILL BIT 1.0MM X 75MM - . , DRILL BIT 1.5MM X 65MM COATING - . , DRILL BIT 1.5MM X 65MM - . , DRILL BIT 1.5MM X 75MM - . , DRILL BIT 2.0MM X 65MM - . , DRILL BIT 2.0MM X 75MM - . , DRILL BIT 1.5MM X 150MM - . , DRILL BIT 1.8MM X 150MM - . , DRILL BIT 2.0MM X 100MM - . , DRILL BIT 2.0MM X 150MM - . , DRILL BIT 2.3MM X 200MM - . , DRILL BIT 2.5MM X 150MM - . , DRILL BIT 2.5MM X 200MM - . , DRILL BIT 2.5MM X 230MM - . , DRILL BIT 2.7MM X 150MM - . , DRILL BIT 2.7MM X 200MM - . , DRILL BIT 2.8MM X 200MM - . , DRILL BIT 2.8MM X 230MM - . , DRILL BIT 3.0MM X 300MM - . , DRILL BIT 3.2MM X 150MM - . , DRILL BIT 3.2MM X 250MM - . , DRILL BIT 3.2MM X 300MM - . , DRILL BIT 3.5MM X 200MM - . , DRILL BIT 3.5MM X 230MM - . , DRILL BIT 3.5MM X 250MM - . , DRILL BIT 4.0MM X 300MM - . , DRILL BIT 4.3MM X 200MM - . , DRILL BIT 4.3MM X 300MM - . , DRILL BIT 4.5MM X 250MM - . , DRILL BIT 4.5MM X 300MM - . , DRILL BIT 5.0MM X 300MM - . , DRILL BIT 5.5MM X 300MM - . , DRILL BIT 2.7MM X 170MM - . , DRILL BIT 4.5MM X 150MM - . , DRILL BIT 3.5MM X 285MM - . , DRILL BIT CANNULATED 1.6MM X 130MM - . , DRILL BIT CANNULATED 2.0MM X 150MM - . , DRILL BIT CANNULATED 2.7MM X 130MM - . , DRILL BIT CANNULATED 2.7MM X 150MM - . , DRILL BIT CANNULATED 4.5MM X 200MM - . , DRILL BIT CANNULATED 4.5MM X 230MM - . , DRILL BIT 1.8MM X 130MM QUICK COUPLING - . , DRILL BIT 1.8MM X 150MM QUICK COUPLING - . , DRILL BIT 2.0MM X 150MM QUICK COUPLING - . , DRILL BIT 2.1MM X 150MM QUICK COUPLING - . , DRILL BIT 2.5MM X 150MM QUICK COUPLING - . , DRILL BIT 2.5MM X 200MM QUICK COUPLING - . , DRILL BIT 2.7MM X 200MM QUICK COUPLING - . , DRILL BIT 2.8MM X 180MM QUICK COUPLING - . , DRILL BIT 2.8MM X 200MM QUICK COUPLING - . , DRILL BIT 3.2MM X 150MM QUICK COUPLING - . , DRILL BIT 3.2MM X 180MM QUICK COUPLING - . , DRILL BIT 3.2MM X 230MM QUICK COUPLING - . , DRILL BIT 4.3MM X 225MM QUICK COUPLING - . , DRILL BIT 4.3MM X 250MM QUICK COUPLING - . , DRILL BIT 5.5MM X 200MM QUICK COUPLING - . , DRILL BIT 6.0MM X 200MM QUICK COUPLING - . , DRILL BIT 3.2MM X 200MM QUICK COUPLING - . , DRILL BIT 3.5MM X 200MM QUICK COUPLING - . , DRILL BIT 2.7MM X 250MM QUICK COUPLING - . , DRILL BIT 2.8MM X 250MM QUICK COUPLING - . , DRILL BIT 3.2MM X 250MM QUICK COUPLING - . , DRILL BIT 3.5MM X 250MM QUICK COUPLING - . , 2.5MM FLEXIBLE DRILL BIT - .</p>
8	<p>1. Generic Name : REAMER & IT'S ATTACHMENT</p> <p>2. Brand Name : RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category : Others Orthopedic Instruments</p> <p>4. Class of Medical Device : Class A</p> <p>5. Shelf life : NIL</p> <p>6. Sterile/Non-Sterile: Non-Sterilized</p> <p>7. Intended Use : The Reamer & It's Attachment are the set of the instruments, a tool or device for performing specific actions or carrying out desired effects during a surgery or operation, such as enlarging the medullary canal of bone so that the implant can easily inserted into human body etc.</p> <p>8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360</p> <p>9. Dimension: NIL</p> <p>10. Model/Catalogue No./Name : FLEXIBLE REAMER WITH FIXED HEAD 6MM - . , FLEXIBLE REAMER WITH FIXED HEAD 6.5MM - . , FLEXIBLE REAMER WITH FIXED HEAD 7 MM - . , FLEXIBLE REAMER WITH FIXED HEAD 7.5MM - . , FLEXIBLE REAMER WITH FIXED HEAD 8MM - . , FLEXIBLE REAMER WITH FIXED HEAD 9MM - . , FLEXIBLE REAMER WITH FIXED HEAD 10MM - . , FLEXIBLE REAMER WITH FIXED HEAD 11MM - . , FLEXIBLE REAMER WITH FIXED HEAD 12MM - . , FLEXIBLE REAMER WITH FIXED HEAD 13MM - . , FLEXIBLE REAMER WITH FIXED HEAD 14MM - . , T-HANDLE CANNULATED REAMER 7MM - . , T-HANDLE CANNULATED REAMER 8MM - . , T-HANDLE CANNULATED REAMER 9MM - . , T-HANDLE CANNULATED REAMER 10MM - . , T-HANDLE CANNULATED REAMER 11MM - . , T-HANDLE CANNULATED REAMER 12MM - . , T-HANDLE CANNULATED REAMER 13MM - . , T-HANDLE CANNULATED REAMER 14MM - .</p>

9	<p>1. Generic Name :ARTHROSCOPIC INSTRUMENTS</p> <p>2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category :OthersOrthopaedic Instruments</p> <p>4. Class of Medical Device :Class B</p> <p>5. Shelf life :NIL</p> <p>6. Sterile/Non-Sterile:Non-Sterilized</p> <p>7. Intended Use :Arthroscopic surgical instruments are designed to ease cutting and trimming with ergonomic designs and balanced weight. They are used in procedures such as hand, hip, knee, shoulder, and other small joint procedures. It's used to diagnose and treat conditions that affect joints. The surgeon can directly view the inside areas of a joint using a tool called an arthroscope. This is a small, tube-shaped tool that's used to look inside a joint. Orthopedic surgeons use arthroscopy to diagnose and treat joint problems.</p> <p>8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360</p> <p>9. Dimension: NIL</p> <p>10. Model/Catalogue No./Name :ACL/PCL INSTRUMENT SET WITH BOX - . ,SHOULDER ARTHROSCOPY INSTRUMENT SET WITH BOX - . ,MENISCAL REPAIR INSTRUMENT SET WITH BOX - . ,ACL ELBOW AIMER - . ,PCL FEMORAL - . ,PCL TIBIAL - . ,MAIN ZIG (DRILL GUIDE) - . , 4-POINT BULLET 2.4MM - . ,QUICK COUPLING FOR TUNNEL DIALATOR - . ,7.0MM TUNNEL DIALATOR - . ,8.0MM TUNNEL DIALATOR - . ,9.0MM TUNNEL DIALATOR - . ,6.0MM TIBIAL REAMER - . ,7.0MM TIBIAL REAMER - . ,8.0MM TIBIAL REAMER - . ,9.0MM TIBIAL REAMER - . ,10.0MM TIBIAL REAMER - . ,11.0MM TIBIAL REAMER - . ,4.5MM ENDOSCOPIC REAMER - . , 6.0MM FLOWER TIP REAMER - . ,7.0MM FLOWER TIP REAMER - . ,8.0MM FLOWER TIP REAMER - . ,9.0MM FLOWER TIP REAMER - . ,10.0MM FLOWER TIP REAMER - . ,11.0MM FLOWER TIP REAMER - . ,2.4MM GRAFT PASSING PIN DRILL BIT - . ,2.4MM GRAFT PASSING PIN (BEATH PIN) - . ,SCREWDRIVER FOR INTERFERENCE SCREW - . ,TITANIUM - . ,5.0MM AIMER - . ,7.0MM AIMER - . ,CONVEX RASP - . ,STRAIGHT RASP - . ,KNEE PROBE - . ,MICRO FRACTURE AWL 30° - . ,MICRO FRACTURE AWL 45° - . ,MICRO FRACTURE AWL 90° - . ,PCL ELEVATOR - ,DEPTH GAUGE - ,TENDON STRIPPER 6.0MM CLOSE - . ,TENDON STRIPPER 7.0MM OPEN - ,IMPACTOR OF SPIKED LIGAMENT STAPPLE - . ,GRAFT PREPARATION BOARD WITH SCALE - . ,GRAFT BOARD TISSUE GRASPER - . ,PARTS OF GRAFT BOARD 1 - . ,PARTS OF GRAFT BOARD 2 - . ,PARTS OF GRAFT BOARD 3 - . ,PARTS OF GRAFT BOARD 4 - . ,TUNNEL PLUG 7-8MM - . ,TUNNEL PLUG 8-9MM - . ,TUNNEL PLUG 9-10MM - . ,GRAFT SIZING BLOCK - . ,ACL/PCL INSTRUMENT BOX - . ,DOUBLE LUMEN CANNULA - . ,CURVED UP-RIGHT - . , DOUBLE LUMEN CANNULA - . ,CURVED UP-LEFT - . ,DOUBLE LUMEN CANNULA - . , STRAIGHT - . ,DOUBLE LUMEN CANNULA - . ,CURVED LEFT/RIGHT - . ,DOUBLE LUMEN CANNULA - . ,CURVED UP/DOWN - . ,SINGLE CANNULA - . ,STRAIGHT - . ,NEEDLE PUSHER - . ,MENISCUS BENDER - . ,MENISCAL REPAIR INSTRUMENT BOX - . ,SWITCHING STICK - . , CANNULA INTRODUCER 6.0MM - . ,CANNULA INTRODUCER 8.0MM - . ,ANCHOR DRILL GUIDE SLEEVE - . ,ANCHOR DRILL 3.0MM - . ,5.5MM BONE TAP - . ,AWL FOR SHOULDER ARTHROSCOPY - . ,LABRAL PROBE - . ,CROCHET HOOK - . ,TISSUE ELEVATOR 15 UP - . , TISSUE ELEVATOR 15 DOWN - . ,GLENOID RASP-UP - . ,GLENOID RASP-DOWN - . ,RING CURRETTE - . ,SUTURE RETREIVER - . ,REUSABLE SUTURE PASSER 45 LEFT - . ,REUSABLE SUTURE PASSER 45 RIGHT - . ,REUSABLE SUTURE PASSER CRESCENT - . ,STRAIGHT - . , NITINOL LOOP WIRE FOR REUSABLE SUTURE PASSER - . ,SUTURE CUTTER - . ,TISSUE GRASPER WITH LOCK - . ,KNOT PUSHER - . ,ACL/PCL INSTRUMENT BOX - .</p>	AYAD
10	<p>1. Generic Name :SURGICAL TRAYS</p> <p>2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category :OthersOrthopedic Instruments</p> <p>4. Class of Medical Device :Class A</p> <p>5. Shelf life :NIL</p> <p>6. Sterile/Non-Sterile:Non-Sterilized</p> <p>7. Intended Use :A Surgical trays (Instruments Box) are the containers that holds the instruments Each surgical trays contains the various surgical instruments which are going to be used in surgery</p> <p>8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360</p> <p>9. Dimension: Various Kind and sizes are Manufactured</p> <p>10. Model/Catalogue No./Name :DRESSING DRUM-SMALL-MEDIUM-LARGE - . ,SS BOWL - . ,KIDNEY TRAY - . ,INSTRUMENT TRAY - .</p>	AYAD

11	<p>1. Generic Name :INTRAMEDULLARY LOCKING NAIL INSTRUMENTS SET</p> <p>2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD</p> <p>3. Notified Category :Orthopaedic Implants</p> <p>4. Class of Medical Device :Class B</p> <p>5. Shelf life :NIL</p> <p>6. Sterile/Non-Sterile:Non-Sterilized</p> <p>7. Intended Use :The Intramedullary locking nail instrument sets includes Awl, Tissue Protector, Nut for coupling bolt, Proximal Jig, Distal Jig, Knob, Proximal Arm for Jig, coupling bolt, Measuring device, T handle, Universal Spanner, Tommy Bar, Ram, Ram Rod, Jig cover ,Detachable Slide Hammer, F-Tool, Spanner Wrench, Standard Tamp, Screw Tightner, Medullary tube Polyamide.</p> <p>8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360 DIMENSION (IF ANY):VARIOUS KIND & SIZES ARE MANUFACTURED.</p> <p>9. Dimension: NIL</p> <p>10. Model/Catalogue No./Name :INSTRUMENT FOR TIBIA FEMUR NAIL SET - . ,PFNA INSTRUMENT SET WITH BOX-IM - . ,GAMMA NAIL INSTRUMENT SET WITH BOX-IM - . , UNIVERSAL NAIL REMOVAL INSTRUMENT SET WITH BOX-IM - . ,PFN / TFN INSTRUMENT SET WITH BOX-EX - . ,TIBIA AND FEMUR INSTRUMENT SET WITH BOX-EX - . ,EXPERT TIBIA NAIL INSTRUMENT SET WITH BOX-EX - . ,SIRUS FEMUR INSTRUMENT SET WITH BOX-EX - . , HUMERUS NAIL INSTRUMENT SET WITH BOX-EX - . ,SUPRA CONDYLAR NAIL INSTRUMENT SET WITH BOX - . ,TEN NAIL INSTRUMENT SET WITH BOX - . ,TIBIA AND FEMUR INSTRUMENT SET WITH BOX (TIP LOCK)-EX - . ,EXPERT TIBIA INSTRUMENT SET WITH BOX (TIP LOCK)-EX - . ,ANKLE ARTHRODESIS NAIL INSTRUMENT SET - . ,RECON NAIL INSTRUMENT SET - . ,KUNTSCHER NAIL INSTRUMENT SET - . ,ENDERS NAIL INSTRUMENT SET - . ,RUSH/SQUARE NAIL INSTRUMENT SET - . ,INSERTION HANDLE FOR TIBIA & FEMUR NAIL - . ,DISTAL DEVICE FOR TIBIA NAIL - . ,DISTAL DEVICE FOR TIBIA NAIL TIP LOCK - . , DISTAL DEVICE FOR FEMUR NAIL - . ,DISTAL DEVICE FOR FEMUR NAIL TIP LOCK - . , CONICAL BOLT FOR TIBIA & FEMUR NAIL - . ,AWL FOR TIBIA NAIL CURVED (SOLID) - . ,AWL FOR FEMUR NAIL STRAIGHT (SOLID) - . ,UNIVERSAL CONNECTOR NOB - . ,11.0MM PROTECTION SLEEVE - . ,4.0MM DRILL SLEEVE - . ,3.2MM DRILL SLEEVE - . ,8.0MM TROCAR WITH T-HANDLE - . ,3.5MM TIP SCREWDRIVER LONG WITH SILICON HANDLE - . ,3.5MM TIP SCREWDRIVER WITH SILICON HANDLE - . ,DEPTH GAUGE FOR NAIL - . ,SPHERICAL SPANNER - . ,EXTRACTOR ROD - . ,TRIANGLE FOR HAMMERING ATTACHMENT - . ,HAMMERING ATTACHMENT DEVICE (THREADED BOLT) - . ,DIRECT HAMMERING ATTACHMENT DEVICE (SOLID BOLT) - . ,SLOTTED HAMMER - . ,HAMMER - . ,8.0MM SPANNER (T TYPE) - . ,TISSUE PROTECTOR - . ,2.5MM GUIDE WIRE - . ,INSERTION HANDLE FOR EXPERT TIBIA NAIL - . , DISTAL DEVICE FOR EXPERT TIBIA NAIL - . ,DISTAL DEVICE FOR EXPERT TIBIA NAIL TIP LOC - . ,PROXIMAL PART FOR EXPERT TIBIA NAIL - . ,U HANDLE DISTAL DEVICE FOR EXPERT TIBIA NAIL - . ,CONNECTOR FOR EXPERT TIBIA JIG (NOB) - . ,CONICAL BOLT FOR EXPERT TIBIA NAIL - . ,AWL FOR EXPERT TIBIA NAIL CURVED (SOLID) - . ,INSERTION HANDLE FOR PFN - . ,DISTAL DEVICE FOR 130*(PFN & TFN COMBINE JIG) - . ,DISTAL DEVICE FOR 135* (PFN & TFN COMBINE JIG) - . ,DISTAL DEVICE FOR 135* (PFN & TFN COMBINE JIG) TIP LOCK - . ,CONNECTOR FOR PFN JIG(NOB) - . ,12.0MM PROTECTION SLEEVE - . ,2.0MM DRILL SLEEVE - . ,5.5MM PFN DRILL SLEEVE - . ,2.0MM DRILL SLEEVE FOR PFN - . ,CONICAL BOLT FOR PFN NAIL - . ,6.4MM REAMER FOR 6.4MM PFN LEG SCREW - . ,8.0MM REAMER FOR 8.0 MM PFN LEG SCREW - . ,15.0MM STRAIGHT AWL(REAMMER)(CANNULATED) - . , CANNULATED AWL FOR PFN NAIL - . ,15.0MM SOLAPUR SLEEVE - . ,10.0MM PROTECTION SLEEVE - . ,4.0MM DRILL SLEEVE LONG - . ,QUICK COUPLING (T TYPE) FOR NAIL - . , INSERTION HANDLE FOR HUMERUS NAIL(PROXIMAL) - . ,DISTAL DEVICE FOR HUMERUS NAIL - . ,CONNECTOR FOR HUMERUS JIG(NOB) - . ,CONICAL BOLT FOR HUMERUS NAIL - . , COMPREASTION CONICAL BOLT - . ,BONE AWL FOR HUMERUS NAIL - . ,EXTRACTOR ROD FOR HUMERUS NAIL - . ,U-HANDLE FOR HUMERUS NAIL - . ,MOVABLE SPANNER - . ,SUPINE DRIVER - . ,TOMMY BAR - . ,CANNULATED HEXAGONAL SOCKET 11.0MM - . ,COMPRESSION NUT - . ,FOR PFNA-II BLADE - . ,PROTECTION SLEEVE DIA 16.0/11.0MM - . ,FOR PFNA-II BLADE - . ,DRILL SLEEVE DIA 11.0/3.2MM - . ,FOR PFNA-II BLADE - . ,TROCAR DIA 3.2MM - . , FOR PFNA-II BLADE - . ,REAMER DIA 11.0MM - . ,FOR PFNA-II BLADE - . ,DRILL BIT DIA 11.0 MM - . ,FOR PFNA-II BLADE - . ,DRILL SLEEVE DIA 8.0/4.0MM - . ,3.2MM GUIDE WIRE - . , DIRECT MEASURING DEVICE FOR GUIDE WIRE DIA 3.2MM - . ,GUIDE WIRE DIA 3.0MM - . , FOR PFNA-II BLADE - . ,PROTECTION SLEEVE DIA 11.0/8.0MM - . ,KEY FOR PFNA-II BLADE - . ,DIA 4.0MM TROCAR - . ,FOR PFNA-II BLADE - . ,MEASURING DEVICE FOR LOCKING BOLT (DEPTH GAUGE) - . ,FIXATION SLEEVE / STOPPER FOR REAMER DIA 11.0MM - . ,FIX SPANNER - . ,HAMMER GUIDE FOR SLOTTED HAMMER - . ,UNIVERSAL CHUCK WITH T-HANDLE - . , AIMING ARM 130DEGREE - . ,FOR PFNA-II BLADE - . ,IMPACTOR FOR PFNA-II BLADE - . , EXCRETION SCREW FOR PFNA-II BLADE - . ,PROTECTION SLEEVE DIA 21.0/17.0MM - . ,FOR PFNA-II - . ,DRILL SLEEVE DIA 18.0/3.5MM - . ,FOR PFNA-II - . ,CANNUALTED DRILL BIT DIA 6.0MM WITH FLEXIBAL SHAFT - . ,FOR PFNA-II - . ,HEXAGONAL SCREWDRIVER DIA 10.0MM - . ,SOLID - . ,SPHERICAL TIP - . ,AIMINIG ARM FOR DYNAMIC LOCKING + STATIC LOCKING - .</p>
----	--

	<p>,FOR PFNA-II SHORT NAIL LENGTH 240MM - . ,AIMINIG ARM FOR STATIC LOCKING - . ,FOR PFNA-II SHORT NAIL LENGTH 240MM - . ,BONE AWL FOR PFNA-II - . ,CANNULATED - . ,SMALL AIMINIG ARM FOR DYNAMIC LOCKING + STATIC LOCKING - . ,FOR PFNA-II SHORT NAIL LENGTH 170MM & 200MM - . ,HEXAGONAL RATCHET WRENCH FOR NUT 11.0MM - . ,INSERTION HANDLE FOR PFNA-II - . ,CONNECTING SCREW FOR INSERTION HANDLE - . ,SLOTTED HAMMER 400G CAN BE MOUNTED - . ,CONNECTOR FOR INSERTION HANDLE (HAMMERING ATTACHMENT DEVICE) - . ,HAMMER 500G FOR PFNA-II INSTRUMENTS - . ,PIN HOLDER - . ,FOR PFNA-II NAIL SET - . ,DISTAL GUIDE BAR CONNECTOR - . ,FOR PFNA-II - . ,DISTAL GUIDE BAR - . ,FOR PFNA-II - . ,FRACTURE ALIGNMENT DEVICE (T-TYPE) - . ,FOR PFNA II INSTRUMENT SET - . ,T-TYPE DRILL BIT DIA 6.0MM - . ,DISTAL TARGETING DEVICE FOR LONG NAILS - . ,FIXATION BLOCK - . ,SOFT TISSUE SEPAARTOR-SHORT - . ,LOCKING NUT WRENCH-5.0MM - . ,LOCKING NUT WRENCH-3.0MM - . ,ALIGNMENT ROD - . ,DRILL SLEEVE DIA 9.5MM X 8.3MM - . ,DRILL SLEEVE FIXTURE ROD - . ,RADIOGRAPHIC RULER - . , INTRODUCER FOR GAMMA BLADE - . ,SLOTTED HAMMER (WOODEN) - . ,STRAIGHT AWL FOR ELASTIC NAIL - . ,PLIER FOR ELASTIC NAIL - . ,HAMMER GUIDE - . ,INSERTOR FOR ELASTIC NAIL - . ,KEY FOR INSERTOR - . ,IMPACTOR FOR ELASTIC NAIL - . ,STRAIGHT - . ,IMPACTOR FOR ELASTIC NAIL - . ,BEVELLED - . ,F-TOOL FOR REDUCTION - . ,SMALL - . ,ADJUSTABLE REDUCTOR - . ,ROD CUTTER - . ,IMPACTOR PUNCH - . ,3.2/4.5MM DOUBLE DRILL SLEEVE - . , INSERTION HANDLE FOR SIRUS FEMUR NAIL - . ,PROXIMAL DEVICE FOR SIRUS FEMUR NAIL - . ,DISTAL DEVICE FOR SIRUS FEMUR NAIL - . ,CONICAL BOLT FOR SIRUS FEMUR NAIL - . , BONE AWL FOR SIRUS FEMUR NAIL - . ,5.0MM TIP SCREWDRIVER CANNULATED WITH SILICON HANDLE - . ,INSERTION HANDLE FOR SUPRA CONDYLAR NAIL - . ,DISTAL DEVICE FOR SUPRA CONDYLAR NAIL - . ,CONNECTOR FOR SUPRA CONDYLAR JIG (NOB) - . ,SUPRA CONDYLAR NAIL CONICAL BOLT - . ,AWL FOR TIBIA NAIL CURVED (SOLID) - . ,EXTRACTOR ROD FOR SUPRA CONDYLAR NAIL - . ,END CAP WRENCH 180MM - . ,WRENCH - . ,WIRE CUTTER - . ,OPEN WRENCH - . ,HEX SCREWDRIVER SW4.5 - . ,HEX SCREWDRIVER SW5.0 - . , LOCKING SCREW EXTRACTOR 250MM - . ,HEX SCREWDRIVER SW2.5 - . ,HEX SCREWDRIVER SW3.5 - . ,HEX SCREWDRIVER SW4.0 - . ,QUICK COUPLING T - HANDLE - . ,EXTRACTOR CHUCK UNIVERSAL LARGE - . ,EXTRACTOR CHUCK M6.0 - . ,EXTRACTOR CHUCK SW4.0 - . , EXTRACTOR CHUCK SW4.5 - . ,EXTRACTOR CHUCK M10.0 X 1.0MM - . ,EXTRACTOR CHUCK M8.0 X 1.0MM - . ,EXTRACTOR CHUCK M8.0 - . ,EXTRACTOR CHUCK UNIVERSAL SMALL - . , EXTRACTOR CHUCK M11.0 - . ,EXTRACTOR CHUCK M10.0 - . ,SAB BLADE SCREWDRIVER - . , UNIVERSAL JOINT - .</p>	
12	<p>1. Generic Name :INSTRUMENT SET FOR EXTERNAL FIXATION SYSTEM 2. Brand Name :RELIFE, ABUMAC MEDICAL, ARTHRO-LIFE, REFIX, ZEALMAX ORTHO, AYAD 3. Notified Category :OthersOrthopaedic Instruments 4. Class of Medical Device :Class A 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :An external fixation device may be used to keep fractured bones stabilized and in alignment. The device can be adjusted externally to ensure the bones remain in an optimal position during the healing process 8. Material of Construction: SS304, SS316L, SS Q 17-4 PH, SS410, SS420/SS420B, SS440, ALLUMINIUM HE30, DELRIN, FIBER ROLL/ CARBON FIBRE ROLL, SILICON-5360 9. Dimension: NIL 10. Model/Catalogue No./Name :INSTRUMENT SET FOR EXTERNAL FIXATION SYSTEM - .</p>	

Competent Authority